

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	84	345/562.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/04 09:46
S4	2	graphic\$1 adj chip and command adj register and source and pixel and pattern and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 09:48
S5	4	chip and command adj register and source and pixel and pattern and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 09:49
S6	22	chip and command and register and source and pixel and pattern and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 13:45
S7	2	chip and command and register and source and pixel and pattern and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 10:32
S12	2	ROP3 and GDI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 10:31
S13	3	ROP3 and graphic\$1 adj device adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 10:32
S14	4	ROP3 and graphic\$1 and chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:28
S15	21	chip and command and register and source and pixel and pattern and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color and raster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:23

S16	217	chip and command and register and source and pixel and pattern and destination and driver and copy\$3 and color and raster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 10:33
S17	2	chip and command and register and source and pixel and pattern and destination and driver and copy\$3 and color and ROP3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 10:34
S18	7	chip and command and register and source and pixel and pattern and destination and driver and copy\$3 and color and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:53
S19	27	command and register and source and pixel and pattern and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:16
S20	42	command and register and source and pixel and destination and graphic\$1 adj device adj interface and driver and copy\$3 and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:15
S21	44	command and register and source and pixel and destination and graphic\$1 adj device adj interface and driver and copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:20
S22	45	command and register and source and pixel and destination and graphic\$1 adj device adj interface and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:21
S23	54	command and register and source and destination and graphic\$1 adj device adj interface and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:24

S25	81	command and register and graphic\$1 adj device adj interface and driver and pixel and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:24
S26	71	command and register and graphic\$1 adj device adj interface and driver and pixel and color and copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 13:20
S27	52	command and register and graphic\$1 adj device adj interface and driver and pixel and color and copy\$3 and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 11:24
S28	10	graphic\$1 adj device adj interface same advantage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 13:22
S29	115	(graphic\$1 adj device adj interface GDI) same advantage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 13:22
S30	38	(graphic\$1 adj device adj interface GDI) same advantage\$1 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 13:29
S31	17	(graphic\$1 adj device adj interface GDI) same advantage\$1 and driver and command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 13:23
S32	232	345/530.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:28
S33	280	345/520.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/07 15:33
S34	177	345/561.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/07 15:34

S35	189	345/559.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/07 15:34
S36	13	ROP3 and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:59
S37	13	ROP3 and pixel and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:57
S38	13	ROP3 and pixel and pattern and source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:58
S39	13	ROP3 and pixel and pattern and source and destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:02
S40	6	ROP3 and pixel and pattern and source and destination and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:59
S41	15	ROP3 and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:50
S42	13	ROP3 and color and pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:59
S43	6	ROP3 and pixel and pattern and source and destination and driver and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:59

S44	13	ROP3 and pixel and pattern and source and destination and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:20
S45	13	ROP3 and pixel and pattern and source and destination and (color colour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:22
S46	11	ROP3 and pixel and pattern and source and destination and (color colour) and copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:23
S47	9	ROP3 and pixel and pattern and source and destination and (color colour) and expand\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:27
S48	9	ROP3 and pixel and pattern and source and destination and (color colour) and expand\$3 and copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:31
S50	2	ROP3 and pixel and pattern and source and destination and (color colour) and expand\$3 and copy\$3 and register and driver and graphic\$1 and chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:32
S51	2	ROP3 and pixel and pattern and source and destination and (color colour) and expand\$3 and copy\$3 and register and driver and chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:32
S52	5	ROP3 and pixel and pattern and source and destination and (color colour) and expand\$3 and copy\$3 and register and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:33

S53	8	ROP3 and pixel and pattern and source and destination and (color colour) and expand\$3 and copy\$3 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:33
S54	34	ROP3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:50
S55	21	chip and command and register and pixel and pattern and graphic\$1 adj device adj interface and driver and copy\$3 and color and raster	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:51
S56	11	command and register and source and pixel and pattern and destination and driver and copy\$3 and color and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:29
S57	14	register and source and pixel and pattern and destination and driver and copy\$3 and color and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:31
S58	14	register and source and pixel and pattern and destination and driver and copy\$3 and color\$1 and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:35
S59	21	source and pixel and pattern and destination and driver and copy\$3 and color\$1 and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:50
S60	39	source and pixel and pattern and destination and driver and color\$1 and ROP\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:50